

WEST Search History for Application 10615497

Creation Date: 2009110913:17

huang-d\$.in.PGPB, USPT, DWPI ADJ 02-24-2009

(cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)PGPB, USPT, DWPI ADJ 02-24-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4))PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)) same ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) and ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) .ab.PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) same (primer near\$5 exten\$5)PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) same (primer near\$5 exten\$5)) not ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4) and (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) .ab.)PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) and (primer near5 exten\$5)PGPB, USPT,

DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4) and (primer near5 exten\$5)) and (primer near1 exten\$4)PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) and (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4).ab.PGPB, USPT, DWPI ADJ 02-24-2009

((huang-d\$.in.) and ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4))PGPB, USPT, DWPI ADJ 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (delet\$4 or null)PGPB, USPT, DWPI ADJ YES 02-24-2009

((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (delet\$4 or null)) same (pcr or polymerase chain reaction or amplif\$8)PGPB, USPT,

DWPI ADJ YES 02-24-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
huang-d\$.in.	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
(cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (genotyp\$5 or haplotyp\$5 or polymorphism or	PGPB, USPT, DWPI	ADJ	YES		11-09-2009

variant or allele\$4)					
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) same (pcr or polymerase chain reaction or amplif\$8 or primer)	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer)) same ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4))	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) and ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5)) .ab.	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4)) same (primer near5 exten\$5)	PGPB, USPT, DWPI	ADJ	YES		11-09-2009
((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (pcr or polymerase chain reaction or amplif\$8 or primer) same (cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or p450 2d6\$5 or p 4502d6\$5 or p 450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4) same (primer near5 exten\$5)) not ((cyp2d6\$5 or cyp 2d6\$5 or p4502d6\$5 or	PGPB, USPT, DWPI	ADJ	YES		11-09-2009

450 2d6\$5 or cypiid6\$5 or cyp iid6\$5 or p450iid6\$5 p450 iid6\$5 or p 450iid6\$5 or p 450 iid6\$5) same (genotyp\$5 or haplotyp\$5 or polymorphism or variant or allele\$4))					
--	--	--	--	--	--